

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,092	01/13/2006	Michel Garnier	0517-1053	2418
466 YOUNG & TH	7590 . 01/22/2008 OMPSON		EXAMINER	
745 SOUTH 23RD STREET		LUONG, VINH		
2ND FLOOR ARLINGTON,	VA 22202		ART UNIT	PAPER NUMBER
,			3682	
	;			
			MAIL DATE	DELIVERY MODE
			01/22/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)		
10/534,092	GARNIER, MICHEL		
Examiner	Art Unit		
Vinh T. Luong	3682		

	Vinh T. Luong	3682				
The MAILING DATE of this communication app	ears on the cover sheet with the	correspondence ad	dress			
The amendment document filed on <u>09 October 2007</u> is or requirements of 37 CFR 1.121 or 1.4. In order for the an item(s) is required.	considered non-compliant beca nendment document to be com	use it has failed to rolliant, correction of	neet the the following			
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE 1. Amendments to the specification: A. Amended paragraph(s) do not include B. New paragraph(s) should not be unde C. Other	markings.	BE NON-COMPL	ANT:			
2. Abstract: A. Not presented on a separate sheet. 37 B. Other	7 CFR 1.72.		٠.			
 ✓ 3. Amendments to the drawings: ☐ A. The drawings are not properly identifie "Annotated Sheet" as required by 37 0 ☐ B. The practice of submitting proposed does now in gamended figures, without made in the state of the	CFR 1.121(d). rawing correction has been elim	ninated. Replaceme	ent drawings			
 □ A. A complete listing of all of the claims is not present. □ B. The listing of claims does not include the text of all pending claims (including withdrawn claims) □ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended). □ D. The claims of this amendment paper have not been presented in ascending numerical order. □ E. Other: 						
5. Other (e.g., the amendment is unsigned or n	ot signed in accordance with 37	' CFR 1.4):				
For further explanation of the amendment format require	ed by 37 CFR 1.121, see MPEP	§ 714.				
TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:						
Applicant is given no new time period if the non-co filed after allowance. If applicant wishes to resubmit entire corrected amendment must be resubmitted.	t the non-compliant after-final a					
2. Applicant is given one month , or thirty (30) days, where correction, if the non-compliant amendment is one of (including a submission for a request for continued amendment filed within a suspension period under 3 Quayle action. If any of above boxes 1, to 4, are che non-compliant amendment in compliance with 37 CF	of the following: a preliminary an examination (RCE) under 37 CF 37 CFR 1.103(a) or (c), and an a ecked, the correction required is	nendment, a non-fir FR 1.114), a supple amendment filed in	nal amendment mental response to a			
Extensions of time are available under 37 CFR amendment or an amendment filed in response to		ant amendment is a	non-final			
Failure to timely respond to this notice will resu Abandonment of the application if the non-co filed in response to a Quayle action; or Non-entry of the amendment if the non-comp amendment.	impliant amendment is a non-fir	y amendment or su	pplemental			
Primary Framiner		71-272 -71	LUY			
Legal Instruments Examiner (LIE), if applicable U.S. Patent and Trademark Office	I elept	none No. Part of Par	per No. 20080115			

Continuation of 3(c) Other: The replacement drawings are not in compliance with 37 CFR 1.84 as required by 37 CFR 1.121(d). Please see Form PTO-948 attached.

Vinh T. Luong Primary Examiner